



Product Data Sheet

8-3|4" M557

Design Features:

- > Cast Infiltrated Tungsten Carbide matrix shell for maximum erosion and abrasion resistance.
- > 3D designed and CNC machined internal steel blank for maximum blade and body strength.
- > TSP Diamond enhanced gage pads for maximum protection.
- Optimized parabolic profile for blade count, cutter quantity and bit stability.
- Force-Balanced PDC cutter locations minimize bit whirl and drill a precise round hole.
- Asymmetric blade design reduces drilling harmonics.





60 to 150 RPM

General Data

Part Number	2010957	Cutting Structure	
Body Type	Matrix Body	Face Cutters	27 @ 16mm PDC
Gage Length	1.25 in.	Back-Up Cutters	17 @ TCI Dome
Overall Length	15.14 in.	Gage Cutters	5 @ 16mm PDC
Shipping Weight	124 lbs.		

Connection

Connection		Nozzie Type	7 @ LOP Nozzle
Pin Connection	4-1/2" API Regular	TFA (min – max)	0.54 in ² to 2.15 in ²
Fishneck Diameter	5.75 in.		
Fishneck Length	4.94 in.	Recommended Operating Parameters	
Make-Up Length	10.95 in.	Weight on Bit (WOB)	4,000 to 20,000 lbs.

Hydraulics

Make-Up Torque 16,500 to 18,100 ft/lbs Rotary Speed (RPM)